

Adoption of Plug-in Electric Vehicles: Local Fuel Use and Greenhouse Gas Emissions Reductions Across the U.S.

Energy Systems and Infrastructure Analysis Division

About Argonne National Laboratory

Argonne is a U.S. Department of Energy laboratory managed by UChicago Argonne, LLC under contract DE-AC02-06CH11357. The Laboratory's main facility is outside Chicago, at 9700 South Cass Avenue, Lemont, Illinois 60439. For information about Argonne and its pioneering science and technology programs, see www.anl.gov.

DOCUMENT AVAILABILITY

Online Access: U.S. Department of Energy (DOE) reports produced after 1991 and a growing number of pre-1991 documents are available free at OSTI.GOV (<http://www.osti.gov/>), a service of the U.S. Dept. of Energy's Office of Scientific and Technical Information.

Reports not in digital format may be purchased by the public from the National Technical Information Service (NTIS):

U.S. Department of Commerce
National Technical Information Service
5301 Shawnee Road
Alexandria, VA 22312
www.ntis.gov
Phone: (800) 553-NTIS (6847) or (703) 605-6000
Fax: (703) 605-6900
Email: orders@ntis.gov

Reports not in digital format are available to DOE and DOE contractors from the Office of Scientific and Technical Information (OSTI):

U.S. Department of Energy
Office of Scientific and Technical Information
P.O. Box 62
Oak Ridge, TN 37831-0062
www.osti.gov
Phone: (865) 576-8401
Fax: (865) 576-5728
Email: reports@osti.gov

Disclaimer

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor UChicago Argonne, LLC, nor any of their employees or officers, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of document authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof, Argonne National Laboratory, or UChicago Argonne, LLC.

Adoption of Plug-in Electric Vehicles: Local Fuel Use and Greenhouse Gas Emissions Reductions Across the U.S.

by
Xinyi Wu, Yan Zhou, and David Gohlke
Energy Systems and Infrastructure Analysis Division, Argonne National Laboratory

February 2024

CONTENTS

ACKNOWLEDGMENTS	iii
LIST OF ACRONYMS.....	iv
ABSTRACT.....	1
1. INTRODUCTION.....	1
2. DATA AND METHODOLOGY.....	2
2.1 Output Metrics	2
2.2 Annual Vehicle-Miles-Traveled (VMT) Per Vehicle.....	3
2.3 Vehicle Registration and Fuel Efficiencies.....	4
2.4 Fuel Prices.....	5
2.5 GHG Emissions Intensity	7
3. RESULTS AND DISCUSSION.....	8
3.1 ZIP-Level Fuel Savings Results	8
3.2 State-Level Fuel Savings Results	16
4. CONCLUSION	23

TABLES

Table 1 Data Sources.....	3
Table 2 ZIP-Code-Level Fuel Cost Savings: Mean, Minimum, and Maximum Savings per Mile, per Tank, and Annually	9
Table 3 State-Level Fuel Cost Savings: Minimum, Maximum, Mean, and Median Savings per Mile, per Tank, and Annually	16
Table 4 BEV Fuel Savings and Key Factors by State (Orange = lower savings, rounded to 3 significant figures)	18

FIGURES

Figure 1 Representative Vehicle Class by ZIP Code.....	4
Figure 2 Average New Light-duty Vehicle Fuel Efficiency (Hula et al., 2022).....	5
Figure 3 Fuel Prices by Region: Gasoline Prices as of December 15, 2023 (top) and Residential Electricity Prices as of 2022 (bottom).....	6

Figure 4 Electricity GHG Emissions Intensity by ZIP Code, Well-to-Wheels	8
Figure 5 Fuel Cost Savings per Mile by Model Year (left) and Vehicle Size at the ZIP Code Level (right)	9
Figure 6 ZIP-code-level Annual Fuel Savings of Driving a BEV or PHEV.	10
Figure 7 Annual Fuel Savings when Driving a BEV (top) or PHEV (bottom) by ZIP Code.....	11
Figure 8 Case Study: The Chicago–Naperville–Elgin Area (IL–IN–WI).....	12
Figure 9 Case Study: The State of New York	13
Figure 10 Case Study: The State of California	14
Figure 11 Case Study: The State of Oklahoma	15
Figure 12 Case Study: The State of Pennsylvania	16
Figure 13 Savings per Mile by ICEV Model Year (left) and Representative Vehicle Class at the State Level (right)	17
Figure 14 ZIP-code-level Emissions Reduction of Driving a BEV or PHEV.....	20
Figure 15 BEV Per Mile GHG Reduction by Cumulative Population	21
Figure 16 PHEV Per Mile GHG Reduction by Cumulative Population	21
Figure 17 GHG Reduction per Mile (gram of CO ₂ Equivalent) by ZIP Code (ICEV minus BEV(top) and PHEV (bottom))	22

ACKNOWLEDGMENTS

This activity was supported by the Office of Policy and the Vehicle Technologies Office, Office of Energy Efficiency and Renewable Energy, U.S. Department of Energy. The authors would like to thank Noel Crisostomo and Patrick Walsh for their constructive guidance and feedback.

This report was prepared as an account of work sponsored by an agency of the United States government. Neither the United States government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States government or any agency thereof.

LIST OF ACRONYMS

BEV	Battery Electric Vehicle
CMAP	Chicago Metropolitan Agency for Planning
CO ₂ e	Carbon Dioxide Equivalent
CUV	Crossover Utility Vehicle
DCFC	Direct Current Fast Charging
eGRID	Emissions & Generation Resource Integrated Database
EIA	U.S. Environment Information Administration
EPA	U.S. Environmental Protection Agency
GHG	Greenhouse Gas
REET	Greenhouse gases, Regulated Emissions, and Energy use in Technologies (tool)
ICEV	Internal Combustion Engine Vehicle
LDV	Light-Duty Vehicle
PEV	Plug-in Electric Vehicle
PHEV	Plug-in-Hybrid Electric Vehicle
PTW	Pump-to-Wheel
PV	Photovoltaic
SUV	Sport Utility Vehicle
VMT	Vehicle-Miles-Traveled
WTP	Well-to-Pump
WTW	Well-to-Wheel
ZEV	Zero Emissions Vehicle

This page left intentionally blank.

ABSTRACT

The dependence on gasoline-powered light-duty automobiles has made U.S. households vulnerable to the burden of fuel costs. Tailpipe emissions from these vehicles constitute 58% of greenhouse gas (GHG) emissions in the U.S., which are damaging to the environment (EPA, 2023). The adoption of plug-in electric vehicles (PEVs) has been shown to effectively reduce fuel costs and GHG emissions. However, local effects on these benefits are not well understood by American consumers, potentially limiting adoption and therefore the realization of PEV benefits at scale (MacInnis & Krosnick, 2020; EY Americas, 2023). To fill this research gap, this study estimates the fuel cost savings and GHG emission reductions at the state and ZIP code levels by considering local fuel prices, vehicle class preference, average vehicle model year, fuel efficiencies, and driving intensities. The study's findings reveal that the adoption of PEVs can yield substantial benefits in terms of fuel cost savings and GHG emission reductions nationwide. Specifically, driving a battery electric vehicle (BEV) is estimated to result in annual savings of up to \$2,200, while driving a plug-in hybrid electric vehicle (PHEV) can lead to savings up to \$1,500, when compared to an internal combustion engine vehicle (ICEV) of equivalent size. Moreover, using population-weighted averages by ZIP code, BEVs and PHEVs show the potential to save 400 and 200 grams of carbon dioxide equivalent per mile, respectively, compared to a representative ICEV of the same class. The magnitude of fuel cost savings and emissions reduction vary by region due to various factors. Generally, regions with high gasoline prices, low electricity prices, preferences for larger vehicles, and high driving intensities tend to see relatively large fuel savings. The emissions reductions are more pronounced in areas with clean grids where consumer preferences lie with large vehicles. This regional variability underscores the importance of considering local contextual factors when assessing the potential benefits of PEV adoption. In more than 99% of U.S. ZIP codes, PEVs result in overall savings in fuel use (and subsequent costs) and GHG emissions. While not a central focus of this analysis, reductions in GHG tailpipe emissions from PEV adoption would also come with reductions in criteria pollutant emissions, contributing to improved local air quality depending on the PEV penetration, population density, and electricity generation infrastructure in the locality.

1. INTRODUCTION

Most residents in the U.S. rely on automobiles for daily travel. Traditionally, travelers depend on petroleum-powered internal combustion-engine vehicles (ICEVs). Overall, about 90% of the U.S. transportation sector is powered by petroleum products, among which light-duty vehicles (LDVs) account for more than half of the total (EIA, 2022a). This dependence on petroleum has made U.S. households vulnerable to the volatility of gasoline prices (Anair and Mahmassani, 2012). On average, a U.S. household spends about 3.3% (over \$2,000) of its annual income on vehicle fuels, mostly comprised of gasoline (Zhou et al., 2020). The usage of gasoline-powered vehicles also results in extensive greenhouse gas (GHG) emissions as well as criteria pollutants, causing environmental concerns across the country (Razeghi, et al., 2011; Gohlke et al., 2022; Vega-Perkins et al., 2023). Research has shown that the adoption of plug-in electric vehicles (PEVs), including battery electric vehicles (BEVs) and plug-in hybrid electric vehicles (PHEVs), can ease the burden of fuel costs and reduce GHG emissions (Anair and Mahmassani, 2012; Harto, 2020; Vega-Perkins et al., 2023; Woody et al., 2023, Kar et al., 2022)

by displacing petroleum-fueled vehicle miles with those powered by electric energy charged from the grid and stored in the vehicle battery. Some studies have further shown that fuel prices, vehicle classes, and driving intensities all contribute to the amount of fuel cost saved by switching from ICEVs to PEVs (Anair and Mahmassani, 2012; Vega-Perkins et al., 2023). However, most existing findings were drawn from scenario analyses with limited discussion on context-specific vehicle preferences and travel behaviors at finer geographic resolutions.

Studies have shed light on PEV fuel cost savings from various perspectives. Anair and Mahmassani (2012) found that BEVs can reduce fuel costs by 50–85% compared to average compact ICEVs, achieving an average annual savings of \$750–\$1,200. However, the magnitude of fuel cost savings is impacted by both petroleum-based fuel costs as well as local electricity costs. Borlaug et al. (2020) estimated the lifetime (15 years, 161K miles) fuel cost savings from driving a BEV could range from \$6,200 (TN) to \$12,200 (CA) depending on the regional gasoline and electricity prices. Vega-Perkins et al. (2023) compared BEV fuel cost savings under several scenarios with different assumed parameters such as driving intensities, fuel prices, and emission intensities. Their findings show that over 90% of households across the country will see some level of savings on fuel costs if switching to BEVs from ICEVs. Harto (2020) examined the fuel cost savings by major vehicle class and found that BEVs cost 60% less to fuel than comparable ICEVs of the same classes, resulting in a \$600–\$1,300 savings per year, assuming 15,000 miles driven annually. Several studies have also examined the GHG emissions reduction from PEV adoption. Vega-Perkins et al. (2023) found that 60% of U.S. households would see moderate to high GHG reductions from PEV adoption. Kavianipour et al. (2023) focused on intercity travel, and their results show that, in Michigan, having 6% BEV fleet penetration can result in a 5.9%–8.3% reduction in annual CO₂ emissions from light-duty vehicles. Research has also shown that vehicle size is an essential factor in estimating the emissions benefit and that PEV adoption has the potential to offset the upsizing of LDVs in the U.S. (Gohlke et al., 2023).

Despite the valuable insights from existing findings, several use an average ICEV class, fuel efficiency, or annual mileage for comparison with a PEV. The findings resulting from these comparisons often overlook the geographic variability inherent in vehicle class preferences, fuel prices, electricity prices, and driving intensities. This oversight prevents understanding local factors in fuel cost savings when transitioning from an ICEV to a PEV. To address this research gap, the current study estimates fuel cost savings and GHG emissions reductions at a finer geographic resolution. This approach considers local factors such as fuel prices, vehicle class preferences, average vehicle model years, fuel efficiencies, fuel prices, and driving intensities, thus providing a more nuanced and context-specific assessment. An online tool, called “Driving Electric: Local Fuel Savings Calculator,” was developed based on the methodology in this report, allowing users to estimate local fuel savings that could be realized by switching to a PEV (Argonne 2024).

2. DATA AND METHODOLOGY

2.1 Output Metrics

The fuel cost savings of driving a PEV (including BEVs and PHEVs) compared to a representative ICEV were estimated by ZIP code and state. Based on the representative vehicles identified, all vehicles are compared on a like-to-like basis (e.g., ICE sport utility vehicles [SUVs] vs. electric SUVs). Data in Table 1 were used to quantify local fuel cost savings relative

to multiple regional factors. Study outputs include three metrics: cost savings per mile, cost savings per tank, and annual fuel cost savings. The calculation follows the following equations:

- **Savings per mile:** $ICEV \text{ Fuel Efficiency } \left(\frac{\text{gallons}}{\text{mile}} \right) \times \text{gasoline price } \left(\frac{\$}{\text{gallon}} \right) - EV \text{ Fuel Efficiency } \left(\frac{kWh}{mi} \right) \times \text{electricity price } \left(\frac{\$}{kWh} \right)$
- **Savings per tank:** $Tank \text{ Size (Gallons)} \times [ICEV \text{ Fuel Efficiency } \left(\frac{\text{gallons}}{\text{mile}} \right) \times \text{gasoline price } \left(\frac{\$}{\text{gallon}} \right) - EV \text{ Fuel Efficiency } \left(\frac{kWh}{mile} \right) \times \text{electricity price } \left(\frac{\$}{kWh} \right)]$
- **Annual fuel savings:** $Annual \text{ Household VMT} \times [ICEV \text{ Fuel Efficiency } \left(\frac{\text{gallons}}{\text{mile}} \right) \times \text{gasoline price } \left(\frac{\$}{\text{gallon}} \right) - EV \text{ Fuel Efficiency } \left(\frac{kWh}{mile} \right) \times \text{electricity price } \left(\frac{\$}{kWh} \right)]$

Table 1 Data Sources

Data	Sources
Annual VMT per vehicle by ZIP code	Zhou et al., 2020
Vehicle registration by ZIP code	Experian, 2022
Average vehicle model year by ZIP code and vehicle class	Experian, 2022
Gas prices by ZIP code	GasBuddy, 2023
Home charging percentages	Blonsky et al., 2021
Residential electricity prices by state	EIA, 2022
Public charging costs	EV Watts, 2022
ICEV Fuel economy by vehicle class and model year	Hula et al., 2022
EV Fuel Economy	ANL, 2023
PHEV utility factor	SAE J2841

2.2 Annual Vehicle-Miles-Traveled (VMT) Per Vehicle

Two key metrics were incorporated at the ZIP code level to capture the heterogeneity in local travel behaviors and vehicle efficiency: annual vehicle-miles-traveled (VMT) per vehicle and the most popular vehicle class based on registration data. The Bureau of Transportation Statistics (2023) estimates average annual VMT per household to be about 13,200 miles. However, almost 60% of American households own two or more vehicles (Davis and Boundy, 2022^a). In this study, the fuel cost savings *per vehicle* is estimated.

The annual VMT per vehicle by ZIP code used in this study comes from the projections of Zhou et al. (2020). Zhou et al. (2020) identified variables on household VMT and disaggregated the data into 18 geographic regions as well as urban, suburban, and rural groups based on driving intensities. Based on these regional classifications, they then used a gradient boosting model to predict tract-level household VMT by evaluating key variables such as demographic and socioeconomic characteristics. Using this data, tract-level annual miles traveled per vehicle were calculated by dividing the household VMT by the average number of vehicles in that tract. Thereafter, these tract-level VMTs were assigned to ZIP codes based on their geographic locations. Specifically, a ZIP code is assigned the VMT of the census tract with

which this ZIP code has the largest overlap. Additionally, the VMT per vehicle used in this analysis depends on the average vehicle age per ZIP code, and a newer vehicle tends to be driven more (Davis and Boundy, 2022^b) than older counterparts. National Household Travel Survey data shows that on average a new vehicle is driven 13,000 miles in the first year (NHTS 2017).

2.3 Vehicle Registration and Fuel Efficiencies

Using Q4 2022 vehicle registration data from Experian, the number of vehicles registered in each ZIP code were estimated across six classes: car (sedan), crossover utility vehicle (CUV), sport utility vehicle (SUV), van, pickup truck, and sports car. The most popular vehicle class in each ZIP code with the highest number of registrations was defined as the “representative vehicle size” of that ZIP code. Figure 1 shows the distribution of representative vehicle sizes by ZIP code nationwide. In general, cars tend to be popular along the East and West Coast and in urban areas, whereas pickup trucks dominate the rest of the land around the country.




Figure 1 Representative Vehicle Class by ZIP Code

After identifying the representative vehicle classes, the average model year by ZIP code was calculated using Experian registration data. Additionally, average fuel efficiency was calculated using the Automotive Trend Report published by the U.S. Environmental Protection Agency (U.S. EPA, 2021). The fuel efficiencies of new LDVs have been gradually improving since the mid-1970s (Figure 2). The average fuel efficiency by ZIP code depends on the representative vehicle class and average model year. For a given ZIP code, holding representative vehicle size constant, it can generally be stated that the newer the vehicle model, the higher the average fuel efficiency.




Figure 2 Average New Light-duty Vehicle Fuel Efficiency (Hula et al., 2022)

2.4 Fuel Prices

The other key component in calculating vehicle fuel cost savings is the fuel price itself, including both gasoline and electricity (residential and public charging). State-level and ZIP-code-level gasoline prices were collected from GasBuddy.com (GasBuddy, 2023) based on data reported on December 15, 2023. The analysis shows that the national average gas price for this particular day (\$3.06) ranked in the 50th percentile of gasoline prices over the past five years, indicating that this temporal snapshot of gasoline prices can serve as a representation of national prices. To account for gasoline price outliers and drivers fueling vehicles in ZIP codes adjacent to their ZIP codes of residence, prices were averaged with the same 3-digit prefixes instead of using the price of a 5-digit ZIP code. Over 30,000 ZIP codes were therefore aggregated to 883 regions as shown in Figure 3. Overall, gasoline prices tend to be high in the western and northeastern parts of the country. In southern and midwestern states, gasoline prices tend to be relatively low.




Figure 3 Fuel Prices by Region: Gasoline Prices as of December 15, 2023 (top) and Residential Electricity Prices as of 2022 (bottom)

For home charging electricity costs, the 2022 average residential retail electricity prices from the U.S. Energy Information Administration (EIA, 2022b) were used, as seen in the bottom portion of Figure 3. Hawaii has the highest electricity prices, followed by California. The resulting average was \$0.16/kWh. In the context of public charging electricity costs, a national

average price per kWh was computed based on data from over 250,000 paid public charging sessions in the U.S. for the year 2021, sourced from Energetics (2021); the resulting average was \$0.29/kWh. Aligning with Blonsky et al. (2021), this study assumes 80% home charging and 20% public charging for both BEV and PHEV. Note that although most early PEV adopters have reserved space to charge at home, about 50% of Americans may not have dedicated off-street parking at an owned residence where they can install a charger (Traut et al., 2013). Depending on the cost of public charging, relying on it instead of home charging might reduce the fuel cost-savings benefits of driving a PEV.

2.5 GHG Emissions Intensity

PEV adoption can substantially reduce GHG emissions across different regions (Vega-Perkins et al., 2023), depending on vehicle fuel efficiencies and the local GHG emissions intensity of the electric grid. This study estimates the ZIP code-level GHG emissions reductions that result from adopting PEVs, accounting for local average vehicle fuel efficiencies using a well-to-wheels (WTW) approach. This approach considers the entire life cycle of the consumption of a certain energy source. A WTW process can be divided into two components: well-to-pump (WTP) and pump-to-wheels (PTW). WTP covers the process of recovering and transporting the feedstock to the production and distribution of fuels, whereas PTW refers to the process of combusting the fuel in vehicle operation.

This analysis estimated the reduction of carbon dioxide equivalent (CO₂e) per mile when driving a PEV compared to an ICEV. Gasoline produces 10,741 grams of CO₂e per gallon under a WTW approach (ANL, 2021). On the other hand, emissions from electricity generation vary based on the emissions intensity of the electric grid. To consider this variability, the U.S. Environmental Protection Agency's (EPA) emissions rates for the 26 subregions across the country were leveraged from its Emissions & Generation Resource Integrated Database (eGRID) (EPA, 2022)¹. Using this data, Gohlke et al. (2022) estimated the WTW emissions intensity for each subregion using GREET 2021 (Argonne, 2021) and assigned subregional intensities to ZIP codes according to geographic locations as seen in Figure 4. Furthermore, Gohlke et al. (2022) also considered the effect of photovoltaic (PV) solar systems on grid emissions using capacity and generation data provided by the EIA. Using the ZIP code-level emissions intensities and state-level solar adjustment factor estimated by Gohlke et al. (2022), the emissions reduction from PEV adoption was calculated at each ZIP code using the following equation:

$$\begin{aligned} \text{Emissions} \left(\frac{g}{mi} \right) = & UF \times \text{Electricity Consumption} \left(\frac{kWh}{mile} \right) \times \text{Grid Intensity} \left(g \frac{GHG}{kWh} \right) \\ & + (1 - UF) \times \text{Gasoline Consumption} \left(\frac{gallon}{mile} \right) \times 10,741 \text{ g GHG/gallon} \end{aligned}$$

¹ The GHG emissions intensities from eGRID do not account for future reductions in grid-associated emissions resulting from, for instance, provisions in the Inflation Reduction Act (IRA), so the eGRID represents a higher estimate of emission intensities (Steinberg et al., 2023).




Figure 4 Electricity GHG Emissions Intensity by ZIP Code, Well-to-Wheel

This comprehensive approach allows us to capture the impact of PEVs on emissions reduction, considering both regional variations and the influence of renewable energy sources on the electricity grid.

3. RESULTS AND DISCUSSION

3.1 ZIP-Level Fuel Savings Results

At this fine resolution, the analysis affirms the overarching trend that larger vehicles consistently demonstrate a higher potential for fuel cost savings when electrified, as shown in Figure 5. Although CUVs are in general larger than cars, the findings show that they yield slightly lower fuel cost savings. This discrepancy is primarily attributed to the difference in average model year of representative CUV and cars. Areas with more CUVs tend to also have newer vehicles, with an average model year of 2016, resulting in higher average vehicle efficiencies. In comparison, representative cars have an average model year of 2011. The newer CUVs tend to have higher average fuel efficiencies than older cars as was shown in Figure 2. Therefore, the higher fuel efficiencies of these newer ICE CUVs contribute to smaller fuel cost savings when transitioning to PEVs as shown in Table 4. This result again underscores the importance of considering not only vehicle size but also factors such as model year and fuel efficiency in assessing the potential economic benefits of PEV adoption within specific regional contexts.




Figure 5 Fuel Cost Savings per Mile by Model Year (left) and Vehicle Size at the ZIP Code Level (right)
(PHEV sports car have very little savings, which is not visible in the chart)

Table 2 illustrates a wider variance in fuel savings at the ZIP code level than at the state level. Fuel switching to a BEV yields net fuel savings throughout the U.S. This higher resolution analysis reveals that switching from an ICEV to a PHEV would yield net fuel cost savings in over 99.9% of ZIP codes. In fewer than 0.1% of ZIP codes, transitioning from an ICEV to a PHEV would result in increased fuel costs (Figure 6). To better examine the geographic differences in fuel cost savings, several states/regions were selected for detailed comparisons using annual fuel savings realized when driving a BEV as an example, as illustrated more broadly nationwide in Figure 7.

Table 2 ZIP-Code-Level Fuel Cost Savings: Mean, Minimum, and Maximum Savings per Mile, per Tank, and Annually

	Savings per Mile (\$)		Savings per Tank (\$)		Annual Savings (\$)	
	BEV	PHEV	BEV	PHEV	BEV	PHEV
Minimum	0.016	-0.040	6.97	-17.5	112	-283
Maximum	0.269	0.193	75.3	58.0	2190	1540
Mean	0.095	0.064	27.8	18.6	669	448
Median	0.107	0.072	31.0	20.7	723	490

*Rounded to 3 significant figures.




Figure 6 ZIP-code-level Annual Fuel Savings of Driving a BEV or PHEV.

(Note: this figure contains a distribution chart and a box and whisker plot for BEV and PHEV, respectively. The top and bottom of each boxplot bar represent the anticipated 75th and 25th percentile of annual fuel savings among all ZIP codes, respectively. The line in the middle indicates the median. The top and bottom whiskers represent the maximum and minimum annual fuel savings among all ZIP codes).




Figure 7 Annual Fuel Savings when Driving a BEV (top) or PHEV (bottom) by ZIP Code

The U.S. Census Bureau’s metropolitan statistical area (MSA) of Chicago–Naperville–Elgin was chosen as one example as it covers areas in three states: Illinois, Indiana, and Wisconsin. Overall, this metro area has relatively high gasoline prices, with the highest prices in Illinois, followed by Indiana and Wisconsin (Figure 8b). Fuel cost savings within Chicago’s city boundary are lower than that of suburban areas (Figure 8a). In general, residents of this metro area drive newer (Zhou et al., 2020) and smaller vehicles such as cars/sedans (Figure 8c), which could be attributed to the well-developed public transport system, higher household income, and the dense urban development in Chicago. About two-thirds of the regular transit commuters live within the Chicago city boundary, and only 50% of the commuters choose solo driving as their

commuting mode (CMAP, 2016). Following the MSA further out to the suburban areas, larger vehicles such as CUVs and pickup trucks have become more popular, a finding that is consistent with the trend of increasing vehicle ownership and driving intensities in those areas (CMAP, 2016).




Figure 8 Case Study: The Chicago–Naperville–Elgin Area (IL–IN–WI)

In the state of New York, a discernible disparity in fuel cost savings is evident between upstate and downstate regions (Figure 9a). Given its current driving intensity levels and the prevalence of larger vehicles, Upstate New York exhibits more substantial fuel cost savings compared to downstate when switching from an ICEV to a BEV. This difference may stem from the historically extensive use of public transit and efforts to curtail automobile travel in downstate New York, particularly in New York City, where over half of residents rely on public

transportation for regular commuting. The dense urban design and well-established public transportation system in downstate New York may have led to the preference for smaller vehicles and low VMT (Figure 9c). In contrast, Upstate New York has witnessed a decline in transit ridership over several decades. The less dense urban layout in Upstate New York results in higher VMT and a preference for larger vehicles, such as CUVs and pickup trucks (Madison Jr., 2006).




Figure 9 Case Study: The State of New York

California is a leading state in decarbonizing its transportation systems aiming to achieve an 80% reduction in greenhouse gas (GHG) emissions by 2050 relative to the 1990 level. This commitment includes regulations targeting 100% of vehicle sales being zero-emissions by the model year 2035. Figure 10b shows California has high gasoline prices prevalent across the state. Representative vehicles differ between urban and rural California. In metro areas such as Los Angeles and San Francisco, there is a preference for smaller vehicles such as cars/sedans, whereas pickup trucks dominate exurban and rural areas (Figure 10c). Similar to urban Chicago and downstate New York, the results show a preference for smaller vehicles in urban areas in California, possibility due to dense urban design and relatively developed public transportation systems. Despite vehicle classes with smaller sizes, large metro areas along the California coastline exhibit higher VMT per vehicle compared to rural and exurban areas (Figure 10d). Taking into consideration these varied factors and regional trends, the findings suggest that

transitioning to BEVs will yield moderate levels of fuel cost savings across the state (Figure 10a), aligning with the trend presented in Table 4.




Figure 10 Case Study: The State of California

Compared to New York and California, Oklahoma has significantly lower gasoline prices (Figure 11b). The prevailing choice of vehicle class across the state leans heavily towards pickup trucks, except in urban centers like Oklahoma City and Tulsa, where cars and CUVs are more popular (Figure 11c). These metro areas also tend to have low VMT per vehicle, and the suburban areas adjacent to them have much higher VMT (Figure 11d). The distribution of fuel cost savings shows a similar pattern to the distribution of vehicle size preferences and VMT (Figure 11a). Large metro areas have relatively small fuel cost savings due to smaller vehicle sizes and low VMT, whereas areas dominated by pickup trucks with high VMT will experience higher fuel cost savings.




Figure 11 Case Study: The State of Oklahoma

Similar to the New York and Chicago metro areas, Pennsylvania also has a relatively high gasoline price (Figure 12b). The distribution of representative vehicle class shows a variation between major urban areas and the rest of the state. Metro areas of Philadelphia and Pittsburgh prefer smaller vehicles such as cars and CUVs, whereas residents of the most rural areas prefer larger vehicles like pickup trucks. The distribution of VMT roughly follows a similar pattern with high mileage in the two major urban areas and their adjacent regions (Figure 12d). The amount of fuel savings in Pennsylvania seems to follow the same pattern as representative vehicle sizes: areas dominated by smaller vehicles save less in fuel cost when switching to PEVs than do areas with larger vehicles (Figure 12a).




Figure 12 Case Study: The State of Pennsylvania

3.2 State-Level Fuel Savings Results

Study findings indicate that, across all states nationwide, there are varying levels of fuel savings when transitioning from an ICEV to a PEV, as summarized in Table 3. On average, after weighting by vehicle population and ZIP codes, driving a BEV yields savings of \$0.09 per mile, \$26.4 per tank, and \$626 annually compared to driving an ICEV. For PHEVs, a utility factor of 62% was assumed based on the weighted average PHEV range. Driving a PHEV results in somewhat lower savings with \$0.066 savings per mile, \$18.4 savings per tank, and \$436 savings annually.

Table 3 State-Level Fuel Cost Savings: Minimum, Maximum, Mean, and Median Savings per Mile, per Tank, and Annually

	Savings per Mile (\$)		Savings per Tank (\$)		Annual Savings (\$)	
	BEV	PHEV	BEV	PHEV	BEV	PHEV
Minimum	0.059	0.018	18.2	6.56	393	123
Maximum	0.171	0.121	47.4	33.7	1020	753
Mean	0.094	0.066	26.4	18.4	626	436
Median	0.086	0.060	24.5	17	587	407

*Rounded to 3 significant figures.

Pickup trucks emerge with the highest fuel cost savings compared to other vehicle sizes, as shown in Figure 13. The analysis also highlights that older ICEVs, being less fuel-efficient on average, exhibit larger fuel cost savings when replaced with PEVs, as depicted in Figure 13. This emphasizes the potential for significant economic and environmental benefits associated with transitioning from older, less efficient ICE vehicles to newer, more efficient alternatives.




Figure 13 Savings per Mile by ICEV Model Year (left) and Representative Vehicle Class at the State Level (right)

The distribution of fuel cost savings reveals a discernible geographic pattern, as exemplified by the annual fuel cost savings for BEVs, depicted in Table 4. In this table, state-level metrics lower than the national average are shaded in orange, whereas metrics higher than the national average are shaded in green². Overall, the magnitude of savings appears more substantial in western states such as Idaho and Wyoming, potentially due to a combination of factors including high gasoline prices, low electricity prices, and low fuel efficiency (due to the preference for larger vehicles) in these states. Some states in the Midwest, such as North Dakota, South Dakota, and Montana, also exhibit notable large fuel savings due to switching from less fuel-efficient conventional pickup trucks to comparable PEVs. Arkansas, Louisiana, and West Virginia also show substantial potential for fuel savings due to the similar preference for large vehicles. These results emphasize the significance of vehicle class preferences and the importance of other local factors in evaluating the potential benefits of PEV adoption across diverse geographic contexts.

² The national average was weighted based on state-level vehicle registration.

Table 4 BEV Fuel Savings and Key Factors by State (Orange = lower savings, rounded to 3 significant figures)

State	Average Model Year of Representative ICEV	Annual VMT	Gasoline Price (\$/Gallon)	Electricity Prices (cents/kWh)	Average Fuel Efficiencies of Representative ICEV	BEV Fuel Savings per Mile
Alabama	2010	6650	2.71	14.3	22.0	0.071
Alaska	2008	7070	3.65	23.1	14.1	0.141
Arizona	2010	6120	3.20	13.0	22.0	0.097
Arkansas	2008	6990	2.64	12.1	14.1	0.112
California	2008	6190	4.59	25.8	20.2	0.147
Colorado	2012	6400	2.72	14.2	19.8	0.079
Connecticut	2010	7370	3.21	24.6	22.0	0.069
Delaware	2010	6960	2.96	13.7	22.0	0.084
District of Columbia	2011	6170	3.06	14.2	21.6	0.090
Florida	2011	6480	2.85	13.9	21.6	0.081
Georgia	2010	6940	2.96	13.8	22.0	0.084
Hawaii	2010	6270	4.63	43.0	22.0	0.090
Idaho	2006	5800	3.33	10.4	13.9	0.171
Illinois	2010	6930	3.16	15.7	22.0	0.088
Indiana	2009	6860	2.76	14.6	21.3	0.077
Iowa	2008	7010	2.79	13.2	20.2	0.089
Kansas	2009	6820	2.76	14.0	21.3	0.079
Kentucky	2009	7060	2.73	12.9	21.3	0.080
Louisiana	2009	6960	2.62	12.9	14.4	0.103
Maine	2014	7310	3.24	22.4	20.8	0.075
Maryland	2011	7210	3.10	14.5	21.6	0.091
Massachusetts	2010	7420	3.26	26.0	22.0	0.068
Michigan	2014	6780	2.97	17.9	20.8	0.074
Minnesota	2009	7310	2.89	14.3	21.3	0.084
Mississippi	2010	6760	2.58	12.4	22.0	0.070
Missouri	2009	6760	2.66	11.7	21.3	0.079
Montana	2009	5820	2.96	11.3	14.4	0.133
Nebraska	2007	6920	2.85	10.8	13.8	0.135
Nevada	2010	6070	3.95	13.8	22.0	0.129
New Hampshire	2010	7690	3.15	25.5	22.0	0.064
New Jersey	2011	7220	3.11	16.7	21.6	0.086
New Mexico	2007	5650	2.84	13.8	13.8	0.122
New York	2015	6750	3.40	22.1	21.5	0.078
North Carolina	2010	6720	2.89	11.6	22.0	0.086
North Dakota	2008	6900	2.87	10.9	14.1	0.133
Ohio	2010	6630	2.71	13.9	22.0	0.073
Oklahoma	2012	7090	2.50	12.4	23.3	0.060
Oregon	2008	6050	3.85	11.4	20.2	0.145
Pennsylvania	2010	6680	3.44	15.9	22.0	0.101
Rhode Island	2010	6950	3.16	23.2	22.0	0.070
South Carolina	2009	6620	2.74	13.6	21.3	0.079
South Dakota	2007	6890	2.94	12.1	13.8	0.137
Tennessee	2009	6920	2.76	12.3	21.3	0.083
Texas	2011	6950	2.49	13.8	21.6	0.065
Utah	2009	6590	2.93	10.8	21.3	0.094
Vermont	2014	7600	3.36	19.9	20.8	0.088
Virginia	2010	6910	2.97	13.3	22.0	0.086
Washington	2008	6240	4.16	10.3	20.2	0.163
West Virginia	2008	6460	3.02	13.2	14.1	0.134
Wisconsin	2009	7210	2.73	15.6	21.3	0.073
Wyoming	2007	6120	2.94	11.1	13.8	0.141
USA Average	2010	6710	3.17	16.2	20.9	0.094

In comparison, states in southern and northeastern regions exhibit lower fuel cost savings potential. Several states in New England, as well as the east/north central regions experience this trend due to higher electricity prices. Examples of such states include New York, and Michigan. Some southern states also have a relatively lower potential for fuel savings due to lower gasoline prices (e.g., Texas and Mississippi). The relatively high regional electricity prices and low gasoline costs in these areas diminish the overall economic advantage of transitioning to plug-in electric vehicles (PEVs). By considering this regional variation, a more comprehensive understanding emerges which enables targeted strategies for promoting PEV adoption in diverse geographic contexts.

3.3 Emissions Reduction from PEV Adoption

Nationwide, driving a PEV consistently leads to substantially lower greenhouse gas (GHG) emissions. Upon averaging the results based on ZIP code-level vehicle population, the analysis results show that driving a BEV saves 400 grams of CO₂e per mile, while driving a PHEV saves 200 grams of CO₂e per mile, when compared to an ICEV of the same class (see Figure 14). By this metric BEV adoption is twice as effective at reducing GHG emissions as PHEV adoption. A tiny portion of ZIP codes (less than 0.1%) experience higher GHG emissions with PHEVs than comparable ICEVs, mainly due to relatively higher carbon intensity of the electrical grids in those areas. Approximately half of the population resides in ZIP codes where driving a BEV or PHEV results in savings of approximately 380 and 180 grams of CO₂e per mile, respectively, as shown in Figure 15 and Figure 16. The geographic distribution of emissions reductions is affected by the emissions intensities of the local grid and the prevalent vehicle class in each region. In general, regions with clean grids, as observed in the western part of the country, have a relatively large potential for GHG reduction through PEV adoption. Moreover, rural and suburban areas also show larger emissions reductions than urban areas where smaller vehicles are more popular (see Figure 17). The findings highlight the potential for PEVs to play an important role in reducing GHG emissions, especially in regions with cleaner energy sources and in areas where larger vehicles are predominant. Nevertheless, in regions with less clean energy and with smaller vehicles on average, adopting PEVs can still result in net savings, especially when accounting for the improving efficiency and diminishing carbon intensity of the power sector, including from impacts of the Inflation Reduction Act (IRA) and the Bipartisan Infrastructure Law (BIL) (Steinberg et al., 2023).




Figure 14 ZIP-code-level Emissions Reduction of Driving a BEV or PHEV.

(Note: this figure contains a distribution chart and a boxplot for BEV and PHEV, respectively. The top and bottom of each boxplot bar represent the anticipated 75th and 25th percentile of annual GHG reduction among all ZIP codes, respectively. The line in the middle indicates the median. The top and bottom whiskers represent the maximum and minimum annual GHG reduction among all ZIP codes).




Figure 15 BEV Per Mile GHG Reduction by Cumulative Population




Figure 16 PHEV Per Mile GHG Reduction by Cumulative Population




Figure 17 GHG Reduction per Mile (gram of CO₂ Equivalent) by ZIP Code (ICEV minus BEV(top) and PHEV (bottom))

4. CONCLUSION

This study examines the regional savings in fuel costs and GHG emissions of PEVs in comparison to representative ICEVs by ZIP code, considering factors such as fuel prices, electrical grid makeup, electricity prices, vehicle class preferences, and average vehicle age. The nationwide analysis reveals that, despite regional variations, PEVs consistently offer lower fuel costs and GHG emissions compared to ICEVs. At the ZIP-code level, this study finds that driving a BEV results in an average fuel cost savings of \$0.09/mile (up to a maximum of \$0.27/mile), while a PHEV saves on average \$0.06/mile (up to a maximum of \$0.19/mile), in fuel costs, when compared to a representative ICEV. The representative vehicle varies based on vehicle class and age. Annually, the potential savings can reach up to \$2,200 for BEVs and \$1,500 for PHEVs. Moreover, PEVs demonstrate significant emissions benefits across the U.S., saving 400 grams of CO₂e per mile for BEVs and 200 grams for PHEVs when compared to ICEVs. Assuming the BEV or PHEV is driven as a new vehicle with higher annual miles than an representative vehicle, the annual savings and emissions reduction would be even more significant.

The study enhances the existing body of research by incorporating a nuanced understanding of local contexts. Compared with previous research, this analysis considers the local context concerning the geographic variability of fuel prices, driving intensities, preferences for vehicle class, and average model year, when evaluating the benefits of PEV adoption. The research findings highlight that region with high gasoline prices, low electricity prices, a preference for larger vehicles, and high driving intensities tend to experience more substantial fuel savings. Similarly, emissions reductions are more pronounced in areas with clean grids and a preference for larger vehicles. In more than 99% of U.S. ZIP codes, PEVs result in net savings in fuel and GHG emissions. This comprehensive understanding enables more targeted strategies for promoting PEV adoption in diverse geographic contexts.

For future research, potential areas of exploration include a more detailed differentiation of public charging prices and the percentage of home versus public charging by region over an increasing population of drivers over time. Investigating the ZIP code-level impact of charging times throughout the day and differences in charging behaviors between BEVs and PHEVs could also enhance the understanding of cost savings. Additionally, future research could further explore the heterogeneity in PHEV utility factors due to VMT and vehicle sizes as well as the geographic variation of home vs. public charging ratios and reductions to grid carbon intensity. It is also worth noting that this study only looks at PEVs' savings in fuel costs and does not account for PEVs' advantages in low maintenance cost (Burnham et al., 2021). Expanding the scope of research in these areas would contribute to a more comprehensive understanding of the benefits of PEV adoption and how these benefits could vary.

References:

1. Anair, D., and Mahmassani, A. (2012). *State of CHARGE: Electric Vehicles' Global Warming Emissions and Fuel-Cost Savings across the United States*. Union of Concerned Scientists. <https://www.ucsusa.org/sites/default/files/2019-09/electric-car-global-warming-emissions-report.pdf>. Accessed December 4, 2023.
2. Argonne (Argonne National Laboratory). (2021). GREET 2021. October 11, 2021. <https://greet.es.anl.gov/>. Accessed December 14, 2023.
3. Argonne (Argonne National Laboratory). (2023). EV and Mobility Technologies Tracking. September 08, 2023. [Data Set].
4. Argonne (Argonne National Laboratory). (2024). Driving Electric: Local Fuel Saving Calculator, <https://local-fuel-savings.esia.anl.gov/>. Accessed January 26, 2024.
5. Blonsky, M., Munankarmi, P., & Balamurugan, S. P. (2021, April). Incorporating residential smart electric vehicle charging in home energy management systems. In *2021 IEEE Green Technologies Conference (GreenTech)* (pp. 187-194). IEEE.
6. Burnham, A., Gohlke, D., Rush, L., Stephens, T., Zhou, Y., Delucchi, M.A., Birky, A., Hunter, C., Lin, Z., Ou, S. and Xie, F. (2021). "Comprehensive Total Cost of Ownership Quantification for Vehicles with Different Size Classes and Powertrains." (No. ANL-ESD-21/4). Argonne National Lab., Argonne, IL. (United States).
7. Borlaug, B., Salisbury, S., Gerdes, M., Muratori, M. (2020) Levelized Cost of Charging Electric Vehicles in the United States, *Joule*, Volume 4, Issue 7, Pages 1470-1485, ISSN 2542-4351, <https://doi.org/10.1016/j.joule.2020.05.013>.
8. CMAP (Chicago Metropolitan Agency for Planning). (2016). *Travel Trends: Understanding How Our Region Moves*. <https://www.cmap.illinois.gov/onto2050/snapshot-reports/transportation-network/travel-trends>. Accessed November 28, 2023.
9. Davis, S., and Boundy, R., (2022^a), *Transportation Energy Data Book*, <https://tedb.ornl.gov/>, Table 9.04, Accessed on February 19, 2024.
10. Davis, S., and Boundy, R., (2022^b), *Transportation Energy Data Book*, <https://tedb.ornl.gov/>, Table 9.09, Accessed on February 19, 2024.
11. EIA (U.S. Energy Information Administration). (2022a). *Use of energy explained*
12. EIA (U.S. Energy Information Administration). (2022b). *US Electricity: Retail sales of electricity to ultimate customers – Annual – By sector, by state, by provider*. <https://www.eia.gov/electricity/data.php>. Accessed December January 14, 2024.
13. Traut, E., Cherng, T., Hendrickson, C., Michalek, J. (2013) US residential charging potential for electric vehicles, *Transportation Research Part D: Transport and Environment*, Volume 25, 139-145, ISSN 1361-9209. <https://doi.org/10.1016/j.trd.2013.10.001>.
14. Energetics. (2022). *EV Watts Charging Station Data, Q4-2022, Online, Access on 1-31-2023* [Data Set]
15. EPA (U.S. Environmental Protection Agency). (2022). Emissions & Generation Resource Integrated Database (eGRID): eGRID2020. January 27. <https://www.epa.gov/energy/emissions-generation-resource-integrated-database-egrid>. Accessed December 14, 2023.

16. EPA (U.S. Environmental Protection Agency). (2023). *Fast Facts on Transportation Greenhouse Gas Emissions*. <https://www.epa.gov/greenvehicles/fast-facts-transportation-greenhouse-gas-emissions>. Accessed January 15, 2024.
17. Experian. (2022). 2022 US LD EVD VIO. [Data Sets].
18. EY Americas. (2023). *EY research: Nearly half of US car buyers intend to purchase an EV*. https://www.ey.com/en_us/news/2023/06/ey-research-nearly-half-of-us-car-buyers-intend-to-purchase-an-ev#:~:text=The%20latest%20EY%20Mobility%20Consumer%20Index%20%28MCI%29%20%E2%80%94purchase%20an%20EV%20in%20the%20next%2024%20months. Accessed January 15, 2024.
19. Federal Highway Administration, 2017 National Household Travel Survey, <https://nhts.ornl.gov/>, Accessed on February 19, 2024.
20. GasBuddy. (2023). *Search Gas Prices*. <https://www.gasbuddy.com/home>. Accessed December 14, 2023.
21. Gohlke, D., Kelly, J., Stephens, T., Wu, X., and Zhou, Y. (2023). “Mitigation of emissions and energy consumption due to light-duty vehicle size increases.” *Transportation Research Part D: Transport and Environment*, 114, 103543.
22. Gohlke, D., Wu, X., Kelly, J., Hennes, L., and Zhou, Y. (2022). *Regional Variation in Light-Duty Plug-in Electric Vehicle Emissions* (No. ANL-22/34). Argonne National Lab., Argonne, Ill. (United States).
23. Harto, C. (2020). “Electric vehicle ownership costs: Today’s electric vehicles offer big savings for consumers.” *Consumer Reports*.
24. Hula, A., Maguire, A., Bunker, A., Rojeck, T., and Harrison, S. (2022). *The 2022 EPA Automotive Trends Report: Greenhouse Gas Emissions, Fuel Economy, and Technology Since 1975* (No. EPA-420-R-22-029).
25. Kar, S., Hawkins, T., Zaines, G., Oke, D., Kwon, H., Wu, X., Zang, G., Zhou, Y., Elgowainy, A., Wang, M., and Ma, O. (2022). *Decarbonization Scenario Analysis Model: Evaluation of a Scenario for Decarbonization of the United States Economy* (No. ANL-22/40). Argonne National Lab., Argonne, IL (United States).
26. Kaviani-pour, M., Mozafari, H., Kamjoo, E., Zockaie, A., Ghamami, M., and Jackson, R. (2023). “Effects of electric vehicle adoption for state-wide intercity trips on emission saving and energy consumption.” *International Journal of Sustainable Transportation*, 17(8), 883–896.
27. MacInnis, B., Krosnick, J. (2020). *Climate Insights 2020: Surveying American Public Opinion on Climate Change and the Environment, Report: Electric Vehicles*. Resources for the Future.
28. Madison, T. J., Jr. (2006). *Strategies for a New Age: New York State’s Transportation Master Plan for 2030*. New York State Department of Transportation.
29. Propfe, B., Redelbach, M., Santini, D. J., & Friedrich, H. (2012). Cost analysis of plug-in hybrid electric vehicles including maintenance & repair costs and resale values. *World Electric Vehicle Journal*, 5(4), 886-895.

30. Razeghi, G., Brown, T., and Samuelson, G. S. (2011). “The impact of plug-in vehicles on greenhouse gas and criteria pollutants emissions in an urban air shed using a spatially and temporally resolved dispatch model.” *Journal of Power Sources*, 196(23), 10387–10394.
31. Steinberg, D. C., Brown, M., Wiser, R., Donohoo-Vallett, P., Gagnon, P., Hamilton, A., Mowers, M., Murphy, C., & Prasanna, A. (2023). *Evaluating Impacts of the Inflation Reduction Act and Bipartisan Infrastructure Law on the US Power System* (No. NREL/TP-6A20-85242). National Renewable Energy Lab.(NREL), Golden, CO (United States).
32. Vega-Perkins, J., Newell, J. P., & Keoleian, G. (2023). Mapping electric vehicle impacts: greenhouse gas emissions, fuel costs, and energy justice in the United States. *Environmental Research Letters*, 18(1), 014027.
33. Woody, M., Keoleian, G.A., and Vaishnav, P. (2023). “Decarbonization potential of electrifying 50% of U.S. light-duty vehicle sales by 2030.” *Nature Communications*, 14, 7077. <https://doi.org/10.1038/s41467-023-42893-0>
34. Zhou, Y., Aeschliman, S., and Gohlke, D. (2020). *Affordability of household transportation fuel costs by region and socioeconomic factors* (No. ANL/ESD-20/11). Argonne National Lab., Argonne, IL (United States).



Energy Systems and Infrastructure Analysis Division

Argonne National Laboratory
9700 South Cass Avenue
Lemont, IL 60439

www.anl.gov



Argonne National Laboratory is a U.S. Department of Energy
laboratory managed by UChicago Argonne, LLC